


RECO			COPY NO.	PUB. DATE		LOCATION	١		MAST	ER	DATE RECEIVED	LOCAT	TION		•
			JoidaR 1 a	⁄æd¤≓ŏF¹ReI	ease	2004/0	05/05 :	CIX	RDF	78T(D5161A00600010035	-5 MAX II	MUM &		
CUT TO COPIES O		0	DATE 7/72			DATE		COPIES DESTROYED							
CUT TO COPIES			DATE	CUT TO COPIES		DATE								•	
CUT TO COPIES			DATE	MASTER		DATE									
DATE					NUMBER OF COPIES		DATE					NUMBER OF COPIES			
мо.	MO. DAY YR.		RECEIVED OR	ISSUED	REC'	C'D ISS'D BAL		MO. DAY Y		YR.	RECEIVED OR ISSUED	·	REC'D	Iss'D	BAL
9	5	68	Dist. Unit	<u> </u>	8		8								
8	3	12	Dest # 4	1-48			0	W	K	6					
				•									٠		
													.,		
											5-1048-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
						 		1							
								 							-
			**************************************		-			<u> </u>		,					-
						+		-							-
								<u> </u>							
			A	and Four Dat		2004	EIOE :	CIA	DD	70.	2546440000000040005	_			
TITL	E [WPIC	Approv	vea For Kel	ease	2 004/1	. CU\cu	SEC	CLA	1/8 	05161A000600010035	- o		I	1
X1.	Γ		i i	PIR 65116		I	MAY 1	966	TS		25139				25)

25X

CIA IMAGERY ANALYSIS DIVISION

TRAFFIC COUNT ON CHENG-CHOU/PING-HSIANG RAILROAD, CHINA

25>



25

Approved For Release 20070\$/06 RETA-RDP78T05161A000600010035-5

CIA IMAGERY ANALYSIS DIVISION

TRAFFIC COUNT ON CHENG-CHOU/PING-HSIANG RAILROAD, CHINA

This report of traffic on the Cheng-chou/Ping-hsiang Railroad
is limited to an approximately 260 nm section (Figure 1). The study
was made in order to compare the level of traffic observed on
with previous
levels established by CIA/PIRs - 65023, 65040, 65074, 65077, and 65102.

In this study, a count of all trains observed was recorded, along with the location, type, direction, and number of cars. In addition, an estimate of the number of freight cars present in 15 rail yards was made in terms of the percentage of yard capacity. This information is presented in Tables 1 and 2 and Figures 3 through 21. An annotated map is included showing the location of each train observed (Figure 2).

Two significant developments on the North Vietnamese Hanoi-Dong Dang Railroad have also been included in this report: a new rail by-pass is being constructed around the town of Lang Son (21 50N - 106 45E) (Figure 22). At present, the roadbed is only partially complete, piers are being put in place for a new railroad bridge over the Song Ky Cung (River) and a turning wye is under construction. A new by-pass around the Cao Nung (21 34N - 106 30E) is now under active Railroad Bridge construction. The roadbed is partially complete and piers are in place for the new bridge. Although the Cao Nung Railroad Bridge had been previously damaged by bombing, it was serviceable at the time of photography.

PIR - 65116

CIA IMAGERY ANALYSIS DIVISION

TABLE 1

RAIL YARD OCCUPANCY

RAILYARD		REIGHT CARS OBSERVED S PERCENT OF CAPACITY	CAPACITY OF RAIL YARD
Cheng-chou Yard No. 1	Freight	5	980 freight cars
Cheng-chou Yard No. 2	Classification	20	1275 freight cars
Cheng-chou Yard No. 3	Classification	40	2665 freight cars
Cheng-chou Yard No. 4	Departure	10	1090 freight cars
Cheng-chou Yard No. 5	Freight	5	375 freight cars
Cheng-chou Yard No. 6	Holding	30	675 freight cars
Wu-han Yard No. 1	Freight	10	430 freight cars
Wu-han Yard No. 3	Freight	30	1600 freight cars
Wu-han Yard No. 4	Classification	25	800 freight cars
Wu-han Yard No. 5	Freight-Passeng	er 5	300 freight cars
Heng-yang Yard No. 1	Classification	55	420 freight cars
Heng-yang Yard No. 2	Classification	35	970 freight cars
Heng-yang Yard No. 3	Freight	50	160 freight cars
Ping-hsiang Yard No. 1E	Transloading	10	600 freight cars

Approved For Release 2004 5505 CREAT-RDP78T05161A0 00600010035-5
PIR - 05110

CIA IMAGERY ANALYSIS DIVISION

TABLE 1 (Continued)
RAIL YARD OCCUPANCY

FREIGHT CARS OBSERVED CAPACITY
AS PERCENT OF CAPACITY OF RAIL YARD

RAILYARD TYPE AS PERCENT OF CAPACITY OF RAIL YARD

Ping-hsiang Transloading 20 440 freight cars
Yard No. 2W

-3-

Approved For Release 200403/27 PCIA RDP78T0516

RDP78T05161A000600010035-5

PIR - 65116

CIA IMAGERY ANALYSIS DIVISION

TABLE II


TRAINS OBSERVED

the contract of the first		.		
NUMBER '	TYPE *	LOCATION	DIRECTION	NUMBER OF CARS
1	F *	29 54N - 114 18E	S	33
2	F	29 56N - 114 20E	N	33 34
3	F	29 57N - 114 21E	S	40
$\widecheck{4}$	F	30 05N - 114 20E	S S	41
5	F	30 17N - 114 19E	N	42
3 4 5 6	F	30 25N - 114 16E	S	39
7	M	30 27N - 114 16E	S	36
7 8	F	30 3LN - 114 18E	Undetermined	Undetermined
9	${f F}$	30 41N - 114 20E	S	67
10	M	30 47N - 114 17E	$\widetilde{\mathbb{N}}$	62
11	F	30 48N - 114 17E	S	45
12	P	30 57N - 114 04E	N	13
13	P	31 OON - 113 54E	S	13
14	F	31 04N - 113 55E	N	43
15	\mathbf{F}	31 15N - 113 57E	N	13 43 56
16	M	31 24N - 113 58E	${f N}$	54
17	${f F}$	31 37N - 113 59E	N	31
18	P	31 44N - 114 O2E	S	13
19	F	31 51N - 114 03E	S	29
20	P	32 O7N - 114 O4E	S	17
21	${\mathbb P}$	32 08N - 114 03E	N	16
22	${f F}$	32 24N - 114 02E	N	
23	F	32 27N - 114 02E	S	30 34
24	${f F}$	32 36N - 114 02E	${\mathbb N}$	53
25	P	32 38N - 114 02E	N	20
26	F	32 41N - 114 02E	S	
27	F'	32 48N - 114 O2E	M	59 46
28	F	32 52N - 114 02E	.S	54
29	F	32 58N - 114 02E	${f N}$	57
30	F	33 04N - 114 02E	N	65
31	F	33 18N - 114 02E	$_{\cdot}$ N	62
32	F	33 30N - 114 02E	S	62
33	P	33 36N - 114 OLE	S	1.8
34 25	F	33 44N - 113 57E	M	69
35	F	34 20N - 113 46E	${f N}$	75

^{*} The letter F is used for freight, P for passenger, and M for mixed.


25X1


25X1




Next 14 Page(s) In Document Exempt

NG-YANG CLASSIFICATION Approved for Release 2004/06







Approved For Release 2007/05/ECP/E-PDP78T05161A000600010035-5

CIA IMAGERY ANALYSIS DIVISION

REFERENCES

25X

25X

MAPS AND CHARTS

ACIC. Jet Navigational Chart, Sheet 37, Scale 1:200,000, 3rd Edition, May 1964 (CONFIDENTIAL)

REQUIREMENT

C-RR5-82,928

CIA/IAD PROJECT

30289-6

-5-

Approved For Release **10016**5/0**5**:EARDP**18**T05161A000600010035-5